

# Commonwealth of Virginia **Locality Recycling Rate Report** For Calendar Year 2013

Fax #: (540) 231-4745

#### Contact Information

| Reporting        | g Solid Waste Planning Un  | it: Virginia Tech |          |       |  |
|------------------|--|-------------------|----------|-------|--|
| Person C         | ompleting This Form: <u>De</u>   | ennis C. Cochrane |          |       |  |
| Title: <u>Su</u> | Fitle: Sustainability Program Manager, Office of Energy & Sustainability |                   |          |       |  |
| Address:         | Sterrett Center (MC 0160   | ) Blacksburg      | Virginia | 24061 |  |
|                  | Street/P.O. Box  | City              | State    | Zip   |  |

Phone #: (540) 231-5184

Email Address: denniscc@vt.edu

Member Governments: The Montgomery Regional Solid Waste Authority oversees the Solid Waste Management Plan for our region. MRSWA prepares a consolidated Recycling Rate Report for its four jurisdictional members: Virginia Tech, the Town of Blacksburg, the Town of Christiansburg, and Montgomery County. This report is only for the Virginia Tech Blacksburg campus. The solid waste re-used and recycled data reflects our ongoing robust construction/renovation program and operations.

Due to the complexity and difficulty in obtaining data, this report reflects the best efforts of the solid waste planning unit to represent its recycling efforts for CY 2013. I certify that I have personally examined and am familiar with the information submitted in this form and any attached documents, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. These records will be made available for auditing purposes, if requested.

Sustainability Program Manager **Authorized Signature** Title

**April 22, 2014** 

Date


Return completed form by April 30, 2014 to: Virginia DEQ, Attn: Recycling Rates, P.O. Box 1105, Richmond, VA 23218.

### **Locality Recycling Rate Report**

#### For Calendar Year 2013

**PART A: Recycling Rate Calculation -** Using the formulae provided below and the information reported on Pages 3, 4 and 5 to calculate your recycling rates.

Step 1: [(PRMs) / (PRMs + MSW Disposed)] X 100 = Base Recycling Rate %



Step 2: CREDITS calculation

a. Total Recycling Residue

0.00 tons

b. Total Solid Waste Reusedc. Total Non-MSW Recycled

5.80 tons 15,100.11 tons

15,105.91 tons

Adjusted

Step 3: [(PRMs + CREDITS) / (PRMs + CREDITS + MSW Disposed)] X 100 = Recycling Rate #1\*

CREDITS

Step 4: Source Reduction Credit does not apply; or

X Adjusted Recycling Rate #1 + 2% SRP Credit = Adjusted Recycling Rate #2\*

Step 5: Final Recycling Rate\* for Solid Waste Planning Unit = | % 43.16

<sup>\*</sup> Total credits resulting from Steps 3 and 4 may not exceed 5 percentage points above the Base Recycling Rate achieved by the Solid Waste Planning Unit.

Part I: Principal Recyclable Materials (PRMs): Report only PRM material generated within the reporting SWPU and recycled, NOT imported PRMs for recycling.

| PRM TYPE                          | RECYCLED AMOUNT (TONS)          |
|-----------------------------------|---------------------------------|
| Paper                             | 866.71                          |
| Metal                             | 169.03                          |
| Plastic                           | 0.00                            |
| Glass                             | 0.00                            |
| Commingled (bottles and cans)     | 108.58                          |
| Yard Waste (composted or mulched) | 250.00                          |
| Waste wood (chipped or mulched)   | 155.00                          |
| Textiles                          | 0.00                            |
| Tires                             | 5.25                            |
| Used Oil                          | 7.60                            |
| Used Oil Filters                  | 2.42                            |
| Used Antifreeze                   | 0.00                            |
| Batteries                         | 3.48                            |
| Electronics                       | 14.71                           |
| Inoperative Motor Vehicles        | 0.00                            |
| Food Waste Organic - Composting   | 598.92                          |
| Waste Cooking Oil                 | 36.59                           |
| Fluorescent Bulbs/Lights          | 8.91                            |
| Ballasts                          | 3.09                            |
| TOTAL PRMs                        | 2,230.29 (PRMs)                 |
|                                   | (Enter Total on Page 2, Step 1) |
|                                   |                                 |

#### Part II: Credits by Category (see Credits Worksheet, Page 5)

A. Recycling Residue – "Recycling residue" means the (i) nonmetallic substances, including but not limited to plastic, rubber, and insulation, which remain after a shredder has separated for purposes of recycling the ferrous and nonferrous metal from a motor vehicle, appliance, or other discarded metallic item and (ii) organic waste remaining after removal of metals, glass, plastics and paper which are to be recycled as part of a resource recovery process for municipal solid waste resulting in the production of a refuse derived fuel. (§ 10.1-1400 of the *Code of Virginia*) (use only SWPU generation)

| MATERIAL DESCRIPTION |        | FACILITY/OPERATION | TONS OF MATERIAL             |
|----------------------|--------|--------------------|------------------------------|
|                      | rom    |                    |                              |
| fre                  | rom    |                    |                              |
| fre                  | rom    |                    |                              |
| тот                  | ΓAL RE | CYCLING RESIDUE    | r Total on Page 2, Step 2 a) |

**Construction Mat.** 

Demolition Mat.

| B. Solid Waste Re-Used MATERIAL DESCRIPTION | REUSE METHOD                             | TONS OF MATERIAL         |
|---|--|--------------------------|
| Furniture/Appliance                         | es Ytoss 2013 – YMCA/VT Reuse Program    | 5.80<br>                 |
|   | e1                                       |                          |
|   | TOTAL SOLID WASTE REUSED                 | 5.80                     |
|   | (Enter To                                | tal on Page 2, Step 2 b) |
| C No. Maria I Callin                        | A CARCINA D. L. I.                       |                          |
| C. Non-Municipal Solid W                    | aste (MSW) Recycled                      |                          |
| MATERIAL                                    |  |                          |
| <b>DESCRIPTION</b>                          | RECYCLING METHOD                         | TONS OF MATERIAL         |
| Asphalt Removal                             | Road Work (Duck Pond Dr/Alumni Mall)     | <u>709.74</u>            |
| EPDM Roofing                                | Membrane (Brooks Ctr/Vet Med/Seitz Hall) | 34.20                    |

Concrete, Masonry, Wood, Other (5 Bldgs)

Concrete, Masonry, Metal, Wood (1 Bldg)

TOTAL NON-MSW RECYCLED

D: A credit of two (2) percentage points may be added to the Adjusted Recycling Rate #1 if the Solid Waste Planning Unit has implemented a Source Reduction Program (SRP). Examples of SRPs include Grasscycling, Home Composting, Clothing Reuse, Office Paper Reduction (duplexing), Multi-Use Pallets, or Paper Towel Reduction. The SRP must be included in the Solid Waste Management Plan on file with the Department:

SRP description: The Food Waste Organics (Composting) Partnership with the local firm

Poplar Manor Enterprises, LLC. is a major success story and includes all

of our on campus dining facilities and The Inn at Virginia Tech.

SRP description: HokieSwap: Procurement Department established a new & free program

to promote the redistribution of university property. Items available are

displayed online for transfer from one unit to another (like Craig's List).

SRP description: Virginia Tech participated in Recyclemania 2014 for the ninth year in a

row. The friendly competition promotes recycling awareness/education.

SRP description: "Management of Surplus Property" Program (Campus Policy 3955).

(Certify on Page 2, Step 4)

3,228.89

11,127,28

15,100,11

(Enter Total on Page 2, Step 2 c)

**Exclusions:** For the purposes of this report, the following materials are not considered solid wastes, and should not be included in any of the data categories utilized in calculating the recycling rate.

- 1. Biosolids –industrial sludge, animal manures; or, sewage sludge (unless composted)
- 2. Automobiles unless part of the Inoperable Vehicle Program (DMV)
- 3. Leachate
- 4. Soils contaminated soils, soil material from road maintenance
- 5. Household hazardous waste
- 6. Hazardous waste
- 7. Medical waste
- 8. Rocks or stone

# **Locality Recycling Rate Report**

## For Calendar Year 2013

Part III: Total Municipal Solid Waste (MSW) Disposed\*\* - Report only MSW generated within the reporting jurisdiction(s), NOT imported wastes or industrial wastes.

| MSW TYPE   | TOTAL AMOUNT DISPOSED (TONS)                             |
|--|--|
| Household  | <del></del>  |
| Commercial   |  |
| Institutional  | 3,613.87   |
| Other (DO NOT INCLUDE INDUSTRIAL WASTES)   |  |
| TOTAL MSW DISPOSE  | D 3,613.87<br>(Enter Total on Page 2, Step 1 and Step 3) |
| **MSW DISPOSED for the purpose of this report to<br>transfer station, or waste incinerator for disposal. | means delivered to a permitted sanitary landfill,        |

| Credits '             | Worksheet   |  | OCCUPATION OF THE CONTRACT OF |  |
|-----------------------|---|--|---|--|
| I.                    | Reuse of any So   | lid Waste  |   |  |
| -<br>-<br>-<br>-<br>- | PRM PRM PRM Industrial Construction Demolition  | Material description   | Tons  |  |
| _                     | Debris X Ytoss Other Other  | Furniture/Appliances/Misc.   | 5.80  |  |
| II.                   | Recycling of any  | TOTAL TONS  Non-Municipal Solid Waste  | 5.80  | (enter data on Page 4,<br>Solid Waste ReUsed)                            |
|                       | <ul> <li>✓ Industrial</li> <li>X Construction</li> <li>X Demolition</li> <li>X Roadwork</li> <li>X Roofing</li> <li>Other</li> <li>Other</li> </ul> | Material description  Concrete, Masonry, Wood, Other Concrete, Masonry, Metal, Wood Asphalt Removal on 2 Roads Roof Membrane EPDM Remove  TOTAL TONS | Tons  3,228.89  11,127.28  709.74  34.20  15,100.11   | (enter data on Page 4,   |
|                       | struction (Sig Engrolition (Rasche Ha   | . Bldg., Davidson Hall, Moss Arts (<br>ll)   | Ctr., HABB1,  | Non-MSW Recycled)<br>Southwest Chiller Plant)                            |
| III.                  |   | icles Removed and Demolished – in I reimbursement from DMV under §4  |   |  |
|                       |   | oved/reimbursement received<br>ge tonnage per vehicle  | X 1 Ton ea  | ch   |
|                       |   | Total Tons   |   | (enter data on Page 3,<br>PRMs, Inoperative<br>Motor Vehicle<br>Program) |

**NOTE:** Check "Exclusions" on Page 4 to avoid listing of those materials on this worksheet and/or in the data fields of this report.

#### Part C: Recycling Rate Report Instructions

Amended Regulations for the Development of Solid Waste Management Plans (9 VAC 20-130-10 et seq.) require that Solid Waste Planning Units (SWPUs) in the Commonwealth develop complete, revised solid waste management plans. Section 9 VAC 20-130-120 B & C of the Regulations requires that a minimum recycling rate of the total municipal solid waste generated annually in each solid waste planning unit be maintained. It also requires that the plan describe how this rate shall be met or exceeded and requires that the calculation methodology be included in the plan. Section 9 VAC 20-130-165 D establishes that every solid waste management planning unit with populations over 100,000 shall submit to the department by April 30 of each year, the data and calculations required in 9 VAC 20-130-120 B & C for the preceding calendar year. SWPUs with populations of 100,000 or less are only required to report every 4 years (CY years 2016 and forward).

NOTE: ONLY RECYCLING RATE REPORTS FROM AN APPROVED SOLID WASTE PLANNING UNIT (SWPU) WILL BE ACCEPTED FOR PROCESSING. JURISDICTIONS WITHIN A SWPU MUST SUBMIT THEIR RECYCLING DATA TO THE SWPU FOR INCORPORATION INTO THE ANNUAL REPORT.

It is requested that all amounts included on the form be listed in tons (2,000 pounds), rounded to the nearest whole ton. If actual weights are not known, volumes can be converted to weight estimates. To assist you with these estimates, a standardized volume-to-weight conversion table is attached.

Contact Information Section: Please provide information on the Reporting SWPU and information on the individual completing this form. Under Member Governments, please list the local governments identified in the applicable solid waste management plan.

Calculated Recycling Rate Section: Using the formulae provided, calculate your recycling rates for the reporting period from information identified in the Recycling Rate Calculations Section.

**Signature Block Section:** Please provide an authorized signature prior to submitting the completed form. Authorized signatories include Executive Officer, Administrator, or other legally designated representative of the SWPU reporting entity.

Recycling Rate Calculations Section: Please provide the requested information:

Part I: Principal Recyclable Material (PRM) - Report the amount in tons of each PRM collected for recycling in the named jurisdiction(s) during the reporting period. PRMs include paper, metal, plastic, container glass, commingled, yard waste, waste wood, textiles, tires, used oil, used oil filters, used antifreeze, batteries, electronics, and other materials approved by the Director taken from the Municipal Solid Waste (MSW) generation. A one ton credit may also be entered for each inoperable motor vehicle for which a locality receives reimbursement from the Virginia Department of Motor Vehicles under §46.2-1207 of the *Code of Virginia*. The total weight in TONS of all PRMs collected for recycling is represented as PRMs in the Recycling Rate Calculation.

Part II: Credits - Report the amount in TONS of each material for which recycling credit is authorized in §10.1-1411.C of the *Code of Virginia*: (i) one ton for each ton of recycling residue generated in Virginia and deposited in a landfill permitted under §10.1-1408.1 of the *Code of Virginia*; (ii) one ton for each ton of any solid waste material that is reused; and, (iii) one ton for each ton of any non-municipal solid waste that is recycled. The total weight in TONS of all material for which credits are authorized is represented as CREDITS in the Recycling Rate Calculation. A credit of two percentage points of the minimum recycling rate mandated for the Solid Waste Planning Unit (SWPU) may be taken for a source reduction program that is implemented and identified in its Solid Waste Management Plan. Total credits may not exceed five percentage points above the Base Recycling Rate achieved by the SWPU.

Part III: Total Municipal Solid Waste (MSW) Disposed: Report the total amount in TONS of MSW that was disposed of by the Solid Waste Planning Unit (SWPU) during the reporting period for each of the source categories (Household, Commercial, Institutional, and Other). For the purpose of this report, "disposed," means delivery to a permitted sanitary landfill or waste incinerator for disposal, and excludes industrial wastes. Industrial waste and by-products should not be included in the MSW or Recycling calculation. The total weight in tons of MSW disposed is represented as MSW Disposed in the Recycling Rate Calculation.

Locality Recycling Rate Report Volume to Weight Conversion Table

| Material  | Volume                        | Weight in Pounds        |
|---|-------------------------------|-------------------------|
| Metal   |                               |                         |
| Aluminum Cans, Whole  | One cubic yard                | 50-74                   |
| Aluminum Cans, Flattened  | One cubic yard                | 250                     |
| Aluminum Cans   | One full grocery bag          | 1.5                     |
| Ferrous Cans, Whole   | One cubic yard                | 150                     |
| Ferrous Cans, Flattened   | One cubic yard                | 850                     |
| Automobile Bodies   | One vehicle                   | 2,000                   |
| Paper   |                               |                         |
| Newsprint, Loose  | One cubic yard                | 360-800                 |
| Newsprint, Compacted  | One cubic yard                | 720-1,000               |
| Newsprint   | 12" stack                     | 35                      |
| Corrugated Cardboard, Loose   | One cubic yard                | 75-100                  |
| Corrugated Cardboard, Baled   | One cubic yard                | 1,000-2,000             |
| Plastic   |                               |                         |
| PETE, Whole, Loose  | One cubic yard                | 30-40                   |
| PETE, Whole, Loose  | Gaylord                       | 40-53                   |
| PETE, Whole, Baled  | 30" x 62"                     | 500                     |
| Film, Baled   | 30" x 42" x 48"               | 1,100                   |
| Film, Baled   | Semi-Load                     | 44,000                  |
| Film, Loose   | Standard grocery bag          | 15                      |
| HDPE (Dairy Only), Whole, Loose   | One cubic yard                | 24                      |
| HDPE (Dairy Only), Whole, Loose   | 32" x 60"                     | 400-500                 |
| HDPE (Mixed), Baled   | 32" x 60"                     | 900                     |
| Mixed PET & Dairy, Whole, Loose   | One cubic yard                | 32                      |
| Mixed PET, Dairy & Other Rigid  | One cubic yard                | 38                      |
| (Whole, Loose)  | One cubic yard                | 38                      |
| Mixed Rigid, No Film  | One cubic yard                | 40                      |
| Glass   | One cubic yard                | 49                      |
| Glass, Whole Bottles  | One cyleic yourd              | 600 1 000               |
| Glass, Semi-Crushed   | One cubic yard One cubic yard | 600-1,000               |
| Glass, Crushed (Mechanically)   |                               | 1,000-1,800             |
| Glass, Whole Bottles  | One cubic yard                | 800-2,700               |
|   | One full grocery bag          | 16                      |
| Glass, Uncrushed to Manually<br>Broken  | 55 gallon drum                | 125-500                 |
| Arboreal  |                               |                         |
| Arboreal Leaves, Uncompacted  | One orbin and                 | 200.250                 |
|   | One cubic yard                | 200-250                 |
| Leaves, Compacted   | One cubic yard                | 300-450                 |
| Leaves, Vacuumed  | One cubic yard                | 350                     |
| Wood Chips  | One cubic yard                | 500                     |
| Grass Clippings   | One cubic yard                | 400-1,500               |
| Other The Control of |                               | -                       |
| Battery (Heavy Equipment)   | One                           | 60                      |
| Battery (Auto)  | One                           | 35.9                    |
| Used Motor Oil  | One gallon                    | 7.4                     |
| Used Oil Filters (Uncrushed)  | 55 gallon drum                | 66 Lbs./Used Oil +      |
|   |                               | 110 Lbs./Ferrous Metal  |
| Used Oil Filters (Crushed)  | 55 gallon drum                | 16.5 Lbs:/Used Oil +    |
|   |                               | 368 Lbs./Ferrous Metal  |
| Tire - Passenger Car  | One                           | 20                      |
| Tire - Truck, Light   | One                           | 35                      |
| Tire - Semi   | One ·                         | 105                     |
| Antifreeze  | One gallon                    | 8.42                    |
| Food Waste, Solid & Liquid Fats   | 55 gallon drum                | 412                     |
| Electronics: CRT/CPU/LapTop/TV  | Each (avg wt from NCER)       | 38/26/8/49 respectively |
|   |                               |                         |