



Commonwealth of Virginia
Locality Recycling Rate Report
For Calendar Year 2015

Contact Information

Reporting Solid Waste Planning Unit: Virginia Tech

Person Completing This Form: Dennis C. Cochrane

Title: Sustainability Program Manager, Office of Sustainability

Address: Sterrett Center, Suite 48 (0160), 230 Sterrett Drive, Blacksburg, VA 24061

Phone #: (540) 231-5184 Fax #: (540) 231-4745 Email Address: denniscc@vt.edu

Summary: The Montgomery Regional Solid Waste Authority (MRSWA) located in Christiansburg, VA oversees the implementation of the Solid Waste Management Plan for our region of Southwest Virginia. MRSWA operates a transfer facility that receives recycling materials and municipal solid waste from its four jurisdictional members which includes the Towns of Blacksburg and Christiansburg, Montgomery County and Virginia Tech. MRSWA collects data from its members and prepares a consolidated recycling rate report using this DEQ form. Virginia Tech uses the same form and calculates its recycling rate using the DEQ formula shown on page 2. The figures provided in this report pertain to the Virginia Tech main campus in Blacksburg. MRSWA transitioned to a "Single Stream Recycling System" on July 1, 2015. Recycling and municipal solid waste is brought to MRSWA, weighed, and transported to our recycling hub Recycling & Disposal Services (RDS) in Roanoke, VA. Our "Commingled (Single Stream)" line item shows a significant increase this year (see page 3, part I). The sudden and unexpected closure of Popular Manor Enterprises in Riner, VA in mid-April directly resulted in an estimated 260 ton decrease in composted food waste and a decrease in our recycling rate. A feasibility study has identified an acceptable composting company for our use in 2016.

Due to the complexity and difficulty in obtaining data, this report reflects the best efforts of the solid waste planning unit to represent its recycling efforts for CY 2015. Data in this report was collected from our recycling and solid waste facilities, and from other recycling sources, including non-governmental entities. I certify that I have personally examined and am familiar with the information submitted in this form and any attached documents, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. These records will be made available for auditing purposes, if requested.

Dennis C. Cochrane

Sustainability Program Manager

APRIL 8, 2016

Authorized Signature

Title

Date

Locality Recycling Rate Report

For Calendar Year 2015

PART A: Recycling Rate Calculation - Using the formulae provided below and the information reported on Pages 3, 4 and 5 to calculate your recycling rates.

Step 1: [(PRMs) / (PRMs + MSW Disposed)] X 100 = Base Recycling Rate %

$$\begin{array}{ccccccc}
 \boxed{1,892} & / & \boxed{1,892} & + & \boxed{3,916} & \times 100 = & \boxed{32.58} \% \\
 \text{TONS} & & \text{TONS} & & \text{TONS} & &
 \end{array}$$

Step 2: CREDITS calculation

a. Total Recycling Residue	0 tons
b. Total Solid Waste Reused	49 tons
c. Total Non-MSW Recycled	4,981 tons
CREDITS	5,030 tons

Step 3: [(PRMs + CREDITS) / (PRMs + CREDITS + MSW Disposed)] X 100 = ^{Adjusted} Recycling Rate #1*

$$\begin{array}{ccccccc}
 \boxed{1,892} & + & \boxed{5,030} & / & \boxed{1,892} & + & \boxed{5,030} & + & \boxed{3,916} & \times 100 = & \boxed{63.87} \% \\
 \text{TONS} & & \text{TONS} & & \text{TONS} & & \text{TONS} & & \text{TONS} & &
 \end{array}$$

Step 4: Source Reduction Credit does not apply; or

Adjusted Recycling Rate #1 + 2% SRP Credit = Adjusted Recycling Rate #2*

$$\boxed{63.87} \% + 2\% = \boxed{65.84} \%$$

Step 5: Final Recycling Rate* for Solid Waste Planning Unit = 37.58 %

*** Total credits resulting from Steps 3 and 4 may not exceed 5 percentage points above the Base Recycling Rate achieved by the Solid Waste Planning Unit.**

Locality Recycling Rate Report
PART B: DATA

For Calendar Year 2015

Part I: Principal Recyclable Materials (PRMs): Report only PRM material generated within the reporting SWPU and recycled, NOT imported PRMs for recycling.

<u>PRM TYPE</u>	<u>RECYCLED AMOUNT (TONS)</u>
Paper	594 (round to whole tons)
Metal	229
Plastic	16
Glass	0
Commingled (also known as Single Stream)	275
Yard Waste (composted or mulched)	250
Waste wood (chipped or mulched)	150
White Goods	4
Tires	6
Used Oil	4
Used Oil Filters	1
Used Antifreeze	0
Batteries	6
Electronics (E-Waste)	10
Food Waste Organic-Composting	298
Waste Cooking Oil	37
Fluorescent Lights/Bulbs & Ballasts	8
TOTAL PRMs	1,892 (PRMs)
	(Enter Total on Page 2, Step 1)

Listing of sources for Principal Recyclable Materials and Municipal Solid Waste data

1. Virginia Tech activities that provided recycling and municipal solid waste (MSW) data:
 - a. Department of Facilities: Facilities Operations
 - b. Department of Facilities: University Design & Construction
 - c. Department of Facilities: Office of Sustainability
 - d. Dining Services
 - e. Environmental Health and Safety Office
 - f. Fleet Services
 - g. Department of Human Resources
 - h. _____
 - i. _____
 - j. _____
2. Other facilities (not included in #1 above) that provided PRM & MSW data:
 - a. Montgomery Regional Solid Waste Authority (MRSWA)
 - b. YMCA at Virginia Tech
 - c. Dairy Facilities at Kentland Farm
 - d. _____
 - e. _____
 - f. _____
 - g. _____
 - h. _____
 - i. _____

Locality Recycling Rate Report

For Calendar Year 2015

Part II: Credits by Category (see Credits Worksheet, Page 5)

A. Recycling Residue – “Recycling residue” means the (i) nonmetallic substances, including but not limited to plastic, rubber, and insulation, which remain after a shredder has separated for purposes of recycling the ferrous and nonferrous metal from a motor vehicle, appliance, or other discarded metallic item and (ii) organic waste remaining after removal of metals, glass, plastics and paper which are to be recycled as part of a resource recovery process for municipal solid waste resulting in the production of a refuse derived fuel. (§ 10.1-1400 of the *Code of Virginia*) (use only SWPU generation)

<u>MATERIAL DESCRIPTION</u>	<u>FACILITY/OPERATION</u>	(round to whole tons) <u>TONS OF MATERIAL</u>
_____ from _____	_____	_____
_____ from _____	_____	_____
_____ from _____	_____	_____
TOTAL RECYCLING RESIDUE		<u>0</u>

(Enter Total on Page 2, Step 2 a)

B. Solid Waste Re-Used

<u>MATERIAL DESCRIPTION</u>	<u>REUSE METHOD</u>	(round to whole tons) <u>TONS OF MATERIAL</u>
<u>Furniture/Appliances</u>	<u>Ytoss 2015 (YMCA at VT & VT Recycling)</u>	<u>9</u>
<u>Milking Machinery</u>	<u>Sold to vendor for use by Local Farmers</u>	<u>49</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
TOTAL SOLID WASTE REUSED		<u>49</u>

(Enter Total on Page 2, Step 2 b)

C. Non-Municipal Solid Waste (MSW) Recycled

<u>MATERIAL DESCRIPTION</u>	<u>RECYCLING METHOD</u>	(round to whole tons) <u>TONS OF MATERIAL</u>
<u>Construction Material</u>	<u>Concrete/Masonry (3 projects)</u>	<u>4,187</u>
<u>Asphalt Material</u>	<u>Asphalt Removal (3 projects)</u>	<u>190</u>
<u>EPDM Material</u>	<u>Membrane and Roofing (Sterrett Center)</u>	<u>14</u>
<u>Metal Material</u>	<u>Metal (Southgate Dairy Farm & Brodie Hall)</u>	<u>590</u>
TOTAL NON-MSW RECYCLED		<u>4,981</u>

(Enter Total on Page 2, Step 2 c)

Locality Recycling Rate Report

For Calendar Year 2015

D: A credit of two (2) percentage points may be added to the Adjusted Recycling Rate #1 if the Solid Waste Planning Unit has implemented a Source Reduction Program (SRP). Examples of SRPs include Grass-cycling, Home Composting, Clothing Reuse, Office Paper Reduction (duplexing), Multi-Use Pallets, or Paper Towel Reduction. The SRP must be included in the Solid Waste Management Plan on file with the Department:

SRP description: The Department of Human Resources has implemented a paperless electronic leave reporting system for use by its more than 7,500 full-time employees.

SRP description: Dining Services replaced Styrofoam To-Go Containers with a Compostable alternative, and it continues to expand its very popular Reusable To-Go Container Program which now has a total of 3 OZZI Collection Stations.

SRP description: To reduce the use of plastic water bottles, the university has installed over 50 Water Bottle Filling Stations through the student Green RFP Program.

(Certify on Page 2, Step 4)

Exclusions: For the purposes of this report, the following materials are not considered solid wastes, and should not be included in any of the data categories utilized in calculating the recycling rate.

1. Biosolids –industrial sludge, animal manures; or, sewage sludge (unless composted)
2. Automobiles – unless part of the Inoperable Vehicle Program (DMV)
3. Leachate
4. Soils – contaminated soils, soil material from road maintenance
5. Household hazardous waste
6. Hazardous waste
7. Medical waste
8. Rocks or stone
9. Woody waste derived from land clearing for development, VDOT or easement tree trimming/clearing.

Part III: Total Municipal Solid Waste (MSW) Disposed** - Report only MSW generated within the reporting jurisdiction(s), NOT imported wastes or industrial wastes.

<u>MSW TYPE</u>	<u>TOTAL AMOUNT of MSW DISPOSED (TONS)</u>
Household	_____ (round to whole tons)
Commercial	_____
Institutional	_____ 3,916
Other (DO NOT INCLUDE INDUSTRIAL WASTES)	_____
TOTAL MSW DISPOSED	_____ 3,916 (Enter Total on Page 2, Step 1 and Step 3)

Note: MSW DISPOSED for the purpose of this report means delivered to a permitted sanitary landfill, delivered to a waste-to-energy facility, or managed at a transfer station for transport to a landfill or waste-to-energy facility.

Locality Recycling Rate Report

For Calendar Year 2015

Credits Worksheet

I. Reuse of any Solid Waste

√	Material description	Tons	
<input type="checkbox"/>	PRM	_____	(round to whole tons)
<input type="checkbox"/>	PRM	_____	
<input type="checkbox"/>	PRM	_____	
<input type="checkbox"/>	Industrial	_____	
<input type="checkbox"/>	Construction	_____	
<input type="checkbox"/>	Demolition	_____	
<input type="checkbox"/>	Debris	_____	
<input checked="" type="checkbox"/>	Ytoss Program	<u>Res Hall used furniture/appliances</u>	
<input checked="" type="checkbox"/>	Farm Machinery	<u>Milking Machines to Local Farmers</u>	40
<input type="checkbox"/>	Other	_____	
	TOTAL TONS	49	(enter data on Page 4, Solid Waste Re-Used)

II. Recycling of any Non-Municipal Solid Waste

√	Material description	Tons	
<input checked="" type="checkbox"/>	<u>Construction</u>	<u>Concrete/Masonry (Southgate Inter)</u>	2,850
<input checked="" type="checkbox"/>	<u>Construction</u>	<u>Concrete/Masonry (Brodie Hall)</u>	1,042
<input checked="" type="checkbox"/>	<u>Construction</u>	<u>Concrete/Masonry (New Classroom)</u>	295
<input checked="" type="checkbox"/>	<u>Construction</u>	<u>Asphalt Removal (Southgate Inter)</u>	100
<input checked="" type="checkbox"/>	<u>Roadwork</u>	<u>Asphalt Removal (Duck Pond Drive)</u>	40
<input checked="" type="checkbox"/>	<u>Roadwork</u>	<u>Asphalt Removal (Southgate Drive)</u>	50
<input checked="" type="checkbox"/>	<u>Roofing</u>	<u>EPDM Materials (Sterrett Center)</u>	14
<input checked="" type="checkbox"/>	<u>Metal</u>	<u>Metal (Dairy Farm Bldgs 473 & 488)</u>	590
	TOTAL TONS	4,981	(enter data on Page 4, Non-MSW Recycled)

III. Inoperable Vehicles Removed and Demolished – include number of vehicles that the localities received reimbursement from DMV under §46.2-1207 of the Code of Virginia.

of vehicles removed/reimbursement received _____
 Average tonnage per vehicle _____ X 1 Ton each

Total Tons _____ **(enter data on Page 3, PRMs, Inoperative Motor Vehicle Program)**

NOTE: Check “Exclusions” on Page 5 to avoid listing of those materials on this worksheet and/or in the data fields of this report.

Locality Recycling Rate Report

For Calendar Year 2015

Part C: Recycling Rate Report Instructions

Amended Regulations for the Development of Solid Waste Management Plans (9 VAC 20-130-10 et seq.) require that Solid Waste Planning Units (SWPUs) in the Commonwealth develop complete, revised solid waste management plans. Section 9 VAC 20-130-120 B & C of the Regulations requires that a minimum recycling rate of the total municipal solid waste generated annually in each solid waste planning unit be maintained. It also requires that the plan describe how this rate shall be met or exceeded and requires that the calculation methodology be included in the plan. Section 9 VAC 20-130-165 D establishes that every solid waste management planning unit with populations over 100,000 shall submit to the department by April 30 of each year, the data and calculations required in 9 VAC 20-130-120 B & C for the preceding calendar year. SWPUs with populations of 100,000 or less are only required to report every 4 years (CY years 2016 and forward).

NOTE: ONLY RECYCLING RATE REPORTS FROM AN APPROVED SOLID WASTE PLANNING UNIT (SWPU) WILL BE ACCEPTED FOR PROCESSING. JURISDICTIONS WITHIN A SWPU MUST SUBMIT THEIR RECYCLING DATA TO THE SWPU FOR INCORPORATION INTO THE ANNUAL REPORT.

It is requested that all amounts included on the form be listed in **tons (2,000 pounds)**, rounded to the nearest whole ton. If actual weights are not known, volumes can be converted to weight estimates. To assist you with these estimates, a standardized volume-to-weight conversion table is attached.

Contact Information Section: Please provide information on the Reporting SWPU and information on the individual completing this form. Under Member Governments, please list the local governments identified in the applicable solid waste management plan.

Calculated Recycling Rate Section: Using the formulae provided, calculate your recycling rates for the reporting period from information identified in the Recycling Rate Calculations Section.

Signature Block Section: Please provide an authorized signature prior to submitting the completed form. Authorized signatories include Executive Officer, Administrator, or other legally designated representative of the SWPU reporting entity.

Recycling Rate Calculations Section: Please provide the requested information:

Part I: Principal Recyclable Material (PRM) - Report the amount in tons of each PRM collected for recycling in the named jurisdiction(s) during the reporting period. PRMs include paper, metal, plastic, container glass, commingled, yard waste, waste wood, textiles, tires, used oil, used oil filters, used antifreeze, batteries, electronics, and other materials approved by the Director taken from the Municipal Solid Waste (MSW) generation. A one ton credit may also be entered for each inoperable motor vehicle for which a locality receives reimbursement from the Virginia Department of Motor Vehicles under §46.2-1207 of the *Code of Virginia*. The total weight in **TONS** of all PRMs collected for recycling is represented as **PRMs** in the Recycling Rate Calculation. **New for CY 2015: Provide source information for the PRMs reported on the report (permitted and unpermitted facilities).**

Part II: Credits - Report the amount in **TONS** of each material for which recycling credit is authorized in §10.1-1411.C of the *Code of Virginia*: (i) one ton for each ton of recycling residue generated in Virginia and deposited in a landfill permitted under §10.1-1408.1 of the *Code of Virginia*; (ii) one ton for each ton of any solid waste material that is reused; and, (iii) one ton for each ton of any non-municipal solid waste that is recycled. The total weight in **TONS** of all material for which credits are authorized is represented as **CREDITS** in the Recycling Rate Calculation. A credit of two percentage points of the minimum recycling rate mandated for the Solid Waste Planning Unit (SWPU) may be taken for a source reduction program that is implemented and identified in its Solid Waste Management Plan. Total credits may not exceed five percentage points above the Base Recycling Rate achieved by the SWPU.

Part III: Total Municipal Solid Waste (MSW) Disposed: Report the total amount in **TONS** of MSW that was disposed of by the Solid Waste Planning Unit (SWPU) during the reporting period for each of the source categories (Household, Commercial, Institutional, and Other). For the purpose of this report, "disposed," means delivery to a permitted sanitary landfill or waste incinerator for disposal, and excludes industrial wastes. Industrial waste and by-products should not be included in the MSW or Recycling calculation. The total weight in tons of MSW disposed is represented as **MSW Disposed** in the Recycling Rate Calculation.

Locality Recycling Rate Report Volume to Weight Conversion Table

Material	Volume	Weight in Pounds
Metal		
Aluminum Cans, Whole	One cubic yard	50-74
Aluminum Cans, Flattened	One cubic yard	250
Aluminum Cans	One full grocery bag	1.5
Ferrous Cans, Whole	One cubic yard	150
Ferrous Cans, Flattened	One cubic yard	850
Automobile Bodies	One vehicle	2,000
Paper		
Newsprint, Loose	One cubic yard	360-800
Newsprint, Compacted	One cubic yard	720-1,000
Newsprint	12" stack	35
Corrugated Cardboard, Loose	One cubic yard	75-100
Corrugated Cardboard, Baled	One cubic yard	1,000-2,000
Plastic		
PETE, Whole, Loose	One cubic yard	30-40
PETE, Whole, Loose	Gaylord	40-53
PETE, Whole, Baled	30" x 62"	500
Film, Baled	30" x 42" x 48"	1,100
Film, Baled	Semi-Load	44,000
Film, Loose	Standard grocery bag	15
HDPE (Dairy Only), Whole, Loose	One cubic yard	24
HDPE (Dairy Only), Baled	32" x 60"	400-500
HDPE (Mixed), Baled	32" x 60"	900
Mixed PET & Dairy, Whole, Loose	One cubic yard	32
Mixed PET, Dairy & Other Rigid (Whole, Loose)	One cubic yard	38
Mixed Rigid, No Film	One cubic yard	49
Glass		
Glass, Whole Bottles	One cubic yard	600-1,000
Glass, Semi-Crushed	One cubic yard	1,000-1,800
Glass, Crushed (Mechanically)	One cubic yard	800-2,700
Glass, Whole Bottles	One full grocery bag	16
Glass, Uncrushed to Manually Broken	55 gallon drum	125-500
Arboreal		
Leaves, Uncompacted	One cubic yard	200-250
Leaves, Compacted	One cubic yard	300-450
Leaves, Vacuumed	One cubic yard	350
Wood Chips	One cubic yard	500
Grass Clippings	One cubic yard	400-1,500
Other		
Battery (Heavy Equipment)	One	60
Battery (Auto)	One	35.9
Used Motor Oil	One gallon	7.4
Used Oil Filters (Uncrushed)	55 gallon drum	66 Lbs./Used Oil + 110 Lbs./Ferrous Metal
Used Oil Filters (Crushed)	55 gallon drum	16.5 Lbs./Used Oil + 368 Lbs./Ferrous Metal
Tire - Passenger Car	One	20
Tire - Truck, Light	One	35
Tire - Semi	One	105
Antifreeze	One gallon	8.42
Food Waste, Solid & Liquid Fats	55 gallon drum	412
Electronics: CRT/CPU/LapTop/TV	Each (avg wt from NCER)	38/26/8/49 respectively
This Table For General Guidance Only.		